Each

Dart Aerospace Ltd. Date: Monday, 1/7/2008 11:43:19 AM User: Kim Johnston **Process Sheet Drawing Name** : GASKET Customer : CU-DAR001 Dart Helicopters Services Job Number : 36609 Estimate Number : 12716 : D353635 : NA **Part Number** P.O. Number S.O. No. : NA : 1*/7/*2008 D3536 REV A **Drawing Number** This Issue : N/A Prsht Rev. Project Number First Issue : SMALL /MED FAB **Drawing Revision** : 36017 **Material** Previous Run Due Date 20 Um: Written By Checked & Approved By New Issue 07-02-14 JLM Comment Additional Product Job Number: **Machine Or Operation:** Description: Seq. #: NEOPRENE SHEET 0.063 1.0 MNEO60S063 681P. 21 Comment: Qty.: 13.0137 sf(s) Total: 0.6507 sf(s)/Unit **NEOPRENE SHEET 0.063** Batch: 166414 2.0 WATER JET Comment: FLOW WATER JET 1-Cut as per Dwg D3536 LB 8-1-8 Dwg Rev:_ Prog Rev:_ 2-Deburr if necessary 30 INSPECT PARTS AS THEY COME OFF MACHINE B8-1-8

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0 QC8

5.0

SECOND CHECK

Comment: SECOND CHECK

PACKAGING 1

PACKAGING RESOURCE #1

Comment: PACKAGING RESOURCE #1

Identify and Stock Location:

8/1/9 54

	Dart	Aeros	pace	Ltd
--	------	--------------	------	-----

W/O:			V	ORK ORDER CHANGES	3				
DATE	STEP	PR	OCEDURE CH	IANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
								r rou wigi	
							ļ		
				43					
Part No	:	PAR #:	Fault Cat	tegory: N	NCR: Yes	No DQ	A: 🕥	 ∑ Date: <u><</u>	seloiln
								Date:	
NCR:			WORK ORI	DER NON-CONFORMANO	CE (NCR	3)			
DATE	STEP	Description of NC		Corrective Action Section B		Verific	cation	Approval	Approval
DATE	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti	ion C	Chief Eng	QC Inspector
		,							
		ı							

NOTE: Date & initial all entries

H:\fFORMS\Quality Assurance\approved QA\NCRWO RevD

Date:

Monday, 1/7/2008 11:43:19 AM

User:

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: GASKET

Job Number: 36609

Part Number: D353635

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



= 2000 (i/10

Dart Aerospace Ltd

W/O:		1	ļ v	VORK ORDER CHAN	IGES			
DATE	STEP		PROCEDURE CI	HANGE	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			-					
ő								
			1					
Part No	•	PAR #:	Fault Ca	tegory:				
						C Closed:	Date: _	
NCR:			WORK OR	DER NON-CONFORM	MANCE (NCR)	4		
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Se Action Description Chief Eng	ection B n Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector
				11				
ь								
		i					1	

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	36609
Description: Gasket	Part Number:	D3536-35
Inspection Dwg: D3536 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
23.25	+/-0.030	93'92	×			
19.75	+/-0.030		 	•		
		19.75	0 -			
17.75	+/-0.030	7.75	*			
14.25	+/-0.030	14.25	٨			
9.50	+/-0.030	9,50	×			
4.75	+/-0.030	4.75	×,			
2.00	+/-0.030	∂.∞	2 "			
6.00	+/-0.030	6,00	×			
6.75	+/-0.030	6.75	7			
0.30	+/-0.030	368	æ			
0.30	+/-0.030	,368	}			
1.89	+/-0.030	1,88	>			
Ø0.19	+0.005/-0.001	1,90	×			
0.063	+/-0.010	.067	×			
				-9		
						M
·			1			

Measured by:	Audited by:	7	Prototype Approval:	N/A
Date: 8-1-8	Date:	286/08	Date:	N/A

Rev	Date	Change	Revised by	Approyed
Α	07.03.14	New Issue	KJ/JLM	
		•	7 (1)	7,0.7

B. 62.12

Copyright © 2006 by DART AEROSPACE USA, INC.

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE-OR-COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION-FROM-DART-AEROSPACE USA, INC.

캪

DOCUMENT

ស

26.65 23.15 21.15 17.65 13.40 9.15 -- 0.90 - 5.65 1.89 3.90 DETAIL A ø0.19 (TYP 3 PLS) 14.00





- MOTES

 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)

- 2) FINISH: NONE


 2) FINISH: NONE

 3) PART IS SYMMETRICAL ABOUT ©

 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

 5) ALL DIMENSIONS ARE IN INCHES

 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION



-	32.90	
	29.40	
	27.40	
	23.90	
	18.98 —	
	14.0	9.15
Q		1.89
OETAIL A - 00.19 (TYP 4 PLS)	14.00 —	3.90
	D3536-13 GASKET	

 C B	CB	DART AEROSPACE USA, INC.
CHECKED	APPROVED .	DRAWING NO. REV. A
#	#	D3536 SHEET 1 OF 6
DATE		TITLE SCALE
06.10.25		GASKET 1:10
A	06.10.25	06.10.25 NEW ISSUE


07.02.12


NATION A


DOCUMENT ß Copyright © 2006 by DART AEROSPACE USA, INC.

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART. AEROSPACE-USA, INC. PURPOSE_OR_COPIED

봀







D3536-21 GASKET

DESIGN CB	ORAWN BY	DART AEROSPACE USA, INC.	A, INC.
CHECKED	APPROVED []]	DRAWING NO.	REV. A
#	*	D3536	SHEET 2 OF 6
DATE		3.00	SCALE
06.10.25		GASKET	1:10

CHECKED

APPROVED

DRAWING NO. D3536

DART

AEROSPACE

USA,

NC.

PORT HADLOCK,

≸

SHEET

3 OF 6 REV.

SCALE 1:10


B

B

DATE

06.10.25

GASKET



UNCONTROLLED COPY SUBJECT TO AMENDMENT NO. WORK ORDES WITHOUT NOTICE ENGINEERING SHOP COPY RETURN TO

봀

DOCUMENT

 $\overline{\mathbf{v}}$

Copyright © 2006 by DART AEROSPACE USA, INC.

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION-FROM-DART-AEROSPACE USA, INC.

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE 3) PART IS SYMM

- PART IS SYMMETRICAL ABOUT ©

 TOLERANCES ARE PER DART QSI 018 UNLESS
 OTHERWISE NOTED

 ALL DIMENSIONS ARE IN INCHES

 DENTIFY WITH DART P/N USING A WHITE FINE POINT
 PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

	21.80	
1.45	16.35	
RO.06 (TYP)	10.90 DETAIL	A
RO.25 TOOLING NOTCH (TYP)	1.89	
	(TYP 3 PLS)	

3536	-25	GAS	KET

DATE


CHECKED


B

06.10.25

DOCUMENT ಶ Copyright © 2006 by DART AEROSPACE USA, INC.

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT—WRITTEN-PERMISSION-FROM DART AEROSPACE USA, INC.





D3536-33 GASKET



- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE

NO.

- 2) FINISH: NONE

 3) PART IS SYMMETRICAL ABOUT ©

 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

 5) ALL DIMENSIONS ARE IN INCHES

 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER


 7) SEE PAGE 6 FOR DETAILS AND SECTION

 RETURN TO

 ENGINEERING
 ENGINEERING
 WITHOUT NOTICE

 WITHOUT NOTICE

 WOODE ORDER



	·
D3536-35	GASKET

	C B	DART AEROSPACE USA, INC.
	APPROVED //	DRAWING NO. REV. A
4		D3536 SHEET 4 OF 6
		TITLE SCALE
٠.		GASKET 1:10

07.02.12

35.71 32.78 29.28

#0.19 (TYP 3 PLS)

28.00

D3536-39 GASKET


19.75

9.00

2.00 -

Q.

- 5.00



1.88

DETAIL A

30.75
22.50 ————————————————————————————————————
2.00
1.89 £ DETAIL A
D3536-37 GASKET (TYP 4 PLS)

(0)[2: 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)

盄

Copyright 2006 by DART AEROSPACE USA, INC.

DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE-OR-COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT-WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

DUROMETER (REF DART SPEC. M-NEOSO-S

2) FINISH: NONE

3) PART IS SYMMETRICAL ABOUT &

4) TOLERANCES ARE PER DART QSI 018 UNLESS

OTHERWISE NOTED

5) ALL DIMENSIONS ARE IN INCHES

6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER

7) SEE PAGE 6 FOR DETAILS AND SECTION

WORK CRUTEN



CHECKED

3

D3536

SHEET

6 OF 6 REV.

SCALE 1:10

DRAWING NO.

DART

AEROSPACE

USA,

NC.

PORT HADLOCK,

四

DATE

06.10.25

GASKET HE

0	
~	===
5	11.
5	1-2
2	12.7
Λ	12
	Sid
1	
	6.4
	order of

D3536-41 GASKET

3.90

#0.19 (TYP 2 PLS)

1.88

27.98 25.08

18.50

2.00

4.00

3.43

DETAIL

Copyright © 2006 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.


OR COPIED

1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)

2) FINISH: NONE 3) PART IS SYMM

PINISH: NONE
PART IS SYMMETRICAL ABOUT ©
TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED
ALL DIMENSIONS ARE IN INCHES
DENTIFY WITH DART P/N USING A WHITE FINE POINT
PERMANENT INK MARKER

UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE ENGINEERING SHOP COPY RETURN TO WORK ORDER



DE	TAIL			
		0.30		
			}	— RO.37
			\forall	